


Hydra Veil

Formulation #12-50



Phase	INCI	Trade Name	%
А	Deionized Water		Q.S.
	Sodium Hyaluronate	Actera HA™ 1.0-1.5	0.75
	Solanum Tuberosum (Potato) Pulp Extract (and) Furcellaria Lumbricalis Extract	TeraGel™	3.0
	Propanediol		7.5
	Caprylyl Glyceryl Ether (and) Glycerin	Glyoshield™	0.5
В	Aspergillus Ferment (and) Saccharomyces Ferment	TeraFluid™ Light	0.5
	Isopropyl Myristate		0.5
С	Sodium Hyaluronate	Actera HA™ 0.2-0.4	0.25
D	Citric Acid (or) Sodium Hydroxide		QS pH ~ 5.0
		Total	100.0

Procedure

- 1. In a clean vessel, sift Actera HA 1.0-1.5 into water and mix under high shear until clump free.
- 2. Slurry the remaining Phase A ingredients and add to the vessel.
- 3. Heat Phase A to at least 70°C.
- 4. Add Phase B to the hot Phase A and mix under high shear. Begin cooling.
- 5. At 30°C, sift in Phase C and mix until uniform and clump free.
- 6. Adjust pH using Phase D.

Physical Properties

pH = 4.81 Viscosity = 12,540 cP Appearance: Translucent gel

Stability

Passed 12 weeks at RT and 40°C and 3 cycles F/T

Use Instructions

Apply desired amount to face and neck as needed.

Intended Packaging

Pot or jar